


Photograph of Sample



# BUBBA WHIP (3) DECARB

Hometown Labs

Certificate of Analysis

Date Received April 2, 2026


BioTrack ID:

Foreign Material Inspection

Material Bubble Hash  
 Method HPLC  
 Internal ID HTL 431  
 Moisture Not Performed

8397 9662 6205 8661  
 Lot ID: 1170 3229 2152 3051  
 Sample Collected by Client

Passed Visual Inspection



### Abundant Terpenes

α-Pinene 0.02%	Terpinolene <0.01%
Camphene <0.01%	Linalool 0.13%
β-Pinene 0.01%	Isopulegol 0.02%
Myrcene 0.54%	Geraniol <0.01%
3-Carene <0.01%	β-Caryophyllene 0.21%
α-Terpinene <0.01%	α-Humulene <0.01%
d-Limonene 0.69%	Nerolidol <0.01%
p-Cymene <0.01%	Guaiol <0.01%
Ocimene <0.01%	α-Bisabolol <0.01%
γ-Terpinene <0.01%	

**Total Terpenes 1.64%**

Cannabinoid	mg/g sample	Method
Δ9-THC	793.4	HPLC
Δ9-THCa	<0.1	HPLC
Δ8-THC	<0.1	HPLC
CBD	<0.1	HPLC
CBDa	<0.1	HPLC
CBG	103.6	HPLC
CBGa	<0.1	HPLC
CBN	<0.1	HPLC
CBC	12.0	HPLC
Δ6a,10a-THC	<0.1	HPLC
Δ10-THC	<0.1	HPLC
Δ9-THCP	<0.1	HPLC
CBDV	<0.1	HPLC
<b>TOTAL</b>	<b>909.1</b>	<b>mg/g sample</b>

**Total THC 79.3%**

**Total CBD <0.01%**

**Total Cannabinoids 90.9%**

### Pesticides Analysis (µg/g sample)

Abamectin <0.1	Paclobotrazol <0.04
Acequinocyl <2.0	Piperonyl butoxide <3.0
Bifenazate <0.2	Pyrethrins (Tot) <0.5
Bifenthrin <0.1	Spinosyn A,D (Tot) <0.1
Etoxazole <0.1	Spiromesifen <0.1
Imazalil <0.1	Spirotetramat <0.1
Imidacloprid <0.1	Trifloxystrobin <0.02
Myclobutanil <0.1	Other <0.02

Passed Pesticide Analysis

### Residual Solvent Analysis Not Performed (\*\*)

Propane **	Heptane **
Butanes **	EBZ & Xylenes **
Pentanes **	Methanol **
Hexane **	2-Propanol **
Cyclohexane **	Dichloromethane **
Benzene **	Acetone **
Toluene **	Ethanol **

Microbial Screen (qPCR)	Result	Method
- <i>E. coli</i> (STEC)	PASS	via qPCR Analysis
- <i>A. niger</i>	PASS	via qPCR Analysis
- <i>A. flavus</i>	PASS	via qPCR Analysis
- <i>A. fumigatus</i>	PASS	via qPCR Analysis
- <i>A. terreus</i>	PASS	via qPCR Analysis
- <i>Salmonella</i>	PASS	via qPCR Analysis
- <i>P. aeruginosa</i>	**	Test Not Performed

Passed Microbial Analysis



Approved April 10, 2026  
 Results are non-transferable  
 and valid for 90 days.  
  
 Barry Dungan - CEO